

	L #	Hits	Search Text	DBs
1	L3	94233	(nozzle or orifice).ti,ab.	US-PGPUB; USPAT
2	L4	28992	(electrostatic\$8 or electro adj static\$8).ti,ab.	US-PGPUB; USPAT
3	L6	77088	(resist or photoresist or photosensitiv\$8 or photopolymer\$8 or photocrosslink\$8 or (light or photo or uv or ultraviolet or radiat\$8 or irradiat\$8) near3 (sensitiv\$8 or polymer\$4 or polymeris\$8 or polymeriz\$8 or crosslink\$8 or cross adj link\$4)).ti,ab.	US-PGPUB; USPAT
4	L8	44407	((ink or liquid or fluid) near3 (jet\$4 or eject\$4 or discharg\$8) or inkjet\$4).ti,ab.	US-PGPUB; USPAT
5	L9	159	8 and 3 and 4	US-PGPUB; USPAT
6	L10	3	6 and 9	US-PGPUB; USPAT
7	L11	623849	(resist or photoresist or photosensitiv\$8 or photopolymer\$8 or photocrosslink\$8 or (light or photo or uv or ultraviolet or radiat\$8 or irradiat\$8) near3 (sensitiv\$8 or polymer\$4 or polymeris\$8 or polymeriz\$8 or crosslink\$8 or cross adj link\$4))	US-PGPUB; USPAT
8	L12	475007	(nozzle or orifice)	US-PGPUB; USPAT
9	L13	11802	11 same 12	US-PGPUB; USPAT
10	L14	606	4 and 8	US-PGPUB; USPAT
11	L15	41	13 and 14	US-PGPUB; USPAT
12	L16	216	6 and 8 and 3	US-PGPUB; USPAT

	L #	Hits	Search Text	DBs
13	L17	204238	(electrostatic\$8 or electro adj static\$8)	US- PGPUB; USPAT
14	L18	30	16 and 17	US- PGPUB; USPAT
15	L19	1135	430/320.ccls.	US- PGPUB; USPAT
16	L20	90	8 and 19	US- PGPUB; USPAT
17	L21	11	20 and 17	US- PGPUB; USPAT
18	L22	10	21 not 18	US- PGPUB; USPAT
19	L23	845	347/55.ccls.	US- PGPUB; USPAT
20	L24	14	6 and 23	US- PGPUB; USPAT
21	L25	932	347/47.ccls.	US- PGPUB; USPAT
22	L26	54	6 and 25	US- PGPUB; USPAT
23	L27	4	17 and 26	US- PGPUB; USPAT
24	L29	178676	electrode.ti,ab.	US- PGPUB; USPAT
25	L30	6	20 and 29	US- PGPUB; USPAT
26	L31	11	nishi-yasuo.in.	US- PGPUB; USPAT
27	L32	15	higuchi-kaoru.in.	US- PGPUB; USPAT

	L #	Hits	Search Text	DBs
28	L33	26	murata-kazuhiro.in.	US- PGPUB; USPAT
29	L34	124	yokoyama-hiroshi.in.	US- PGPUB; USPAT
30	L35	25	(31 or 32 or 33 or 34) and 8	US- PGPUB; USPAT
31	L36	3092	((nozzle or orifice) near5 (size or diameter)).ti,ab.	US- PGPUB; USPAT
32	L37	10	6 and 8 and 36	US- PGPUB; USPAT
33	L38	44	20 and 3	US- PGPUB; USPAT
34	L40	83553	((nozzle or orifice) near5 (size or diameter))	US- PGPUB; USPAT
35	L41	37	20 and 40	US- PGPUB; USPAT
36	L42	245572	((ink or liquid or fluid) near3 (jet\$4 or eject\$4 or discharg\$8) or inkjet\$4)	EPO; JPO; DERWE NT; IBM_TDB
37	L43	490328	(resist or photoresist or photosensitiv\$8 or photopolymer\$8 or photocrosslink\$8 or (light or photo or uv or ultraviolet or radiat\$8 or irradiat\$8) near3 (sensitiv\$8 or polymer\$4 or polymeris\$8 or polymeriz\$8 or crosslink\$8 or cross adj link\$4))	EPO; JPO; DERWE NT; IBM_TDB
38	L44	170050	(electrostatic\$8 or electro adj static\$8)	EPO; JPO; DERWE NT; IBM_TDB

	L #	Hits	Search Text	DBs
39	L45	548075	(nozzle or orifice)	EPO; JPO; DERWE NT; IBM_TDB
40	L46	33	42 and 43 and 44 and 45	EPO; JPO; DERWE NT; IBM_TDB
41	L47	20448	((nozzle or orifice) near5 (size or diameter))	EPO; JPO; DERWE NT; IBM_TDB
42	L48	110	42 and 43 and 47	EPO; JPO; DERWE NT; IBM_TDB
43	L49	1126641	electrode	EPO; JPO; DERWE NT; IBM_TDB
44	L50	159	42 and 43 and 49 and 45	EPO; JPO; DERWE NT; IBM_TDB
45	L51	4617301	volt\$8 or potential\$8 or electric\$8	EPO; JPO; DERWE NT; IBM_TDB

	L #	Hits	Search Text	DBs
46	L52	70	50 and 51	EPO; JPO; DERWE NT; IBM_TDB